



ANALYSIS REPORT

Report No / Sample Accept No : 05823-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS ANTI-ACNE SERUM
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image :  Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Methyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Ethyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Propyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isopropyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Butyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isobutyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Benzyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Paraben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Diparaben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/Onlinesislemeler>" with the code "38aa3762Caa340RLP36'03H"

ANALYSIS REPORT

Report No / Sample Accept No : 05823-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI-ACNE SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05832-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS ANTI-ACNE SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Alcohol/ %v/v ***	Not Detected	Absent	-	0.25	-	In House Method	C

(**) E : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "389630RLP36'03H"



ANALYSIS REPORT

Report No / Sample Accept No : 05832-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI-ACNE SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05841-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS ANTI-ACNE SERUM
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image :  Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLS (Sodium Lauryl Sulphate) / %w/w ***	Not Detected	Absent	-	0.00002	-	In House Method	C

(**) E : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:620RLP36'03H"



ANALYSIS REPORT

Report No / Sample Accept No : 05841-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI-ACNE SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05850-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS ANTI-ACNE SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLES (Sodium Lauryl Ethersulphate) / %w/w ***	Not Detected	Absent	-	-	-	IS 11487	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38aa3762Caa610RLP36'03H"

ANALYSIS REPORT

Report No / Sample Accept No : 05850-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI-ACNE SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05843-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS ANTI AGE SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLS (Sodium Lauryl Sulphate) / %w/w ***	Not Detected	Absent	-	0.00002	-	In House Method	C

(**) E : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:540RLP36'05J"



ANALYSIS REPORT

Report No / Sample Accept No : 05843-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI AGE SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05852-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS ANTI AGE SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLES (Sodium Lauryl Ethersulphate) / %w/w ***	Not Detected	Absent	-	-	-	IS 11487	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38aa3762Caa830RLP36'05J"



ANALYSIS REPORT

Report No / Sample Accept No : 05852-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI AGE SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05825-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS ANTI AGE SERUM
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Methyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Ethyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Propyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isopropyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Butyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isobutyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Benzyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Paraben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Diparaben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38aa3762Caa560RLP36'05J"



ANALYSIS REPORT

Report No / Sample Accept No : 05825-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI AGE SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05834-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS ANTI AGE SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Alcohol/ %v/v ***	Not Detected	Absent	-	0.25	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "389550RLP36'05J"



ANALYSIS REPORT

Report No / Sample Accept No : 05834-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI AGE SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05819-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS ANTI SPOT SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Methyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Ethyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Propyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isopropyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Butyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isobutyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Benzyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Paraben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Diparaben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:2:ORLP36'05M"



ANALYSIS REPORT

Report No / Sample Accept No : 05819-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI SPOT SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05828-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS ANTI SPOT SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Alcohol/ %v/v***	Not Detected	Absent	-	0.25	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/Onlineselemler>" with the code "38aa3762Caa590RLP36'05M"



ANALYSIS REPORT

Report No / Sample Accept No : 05828-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI SPOT SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05837-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS ANTI SPOT SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLS (Sodium Lauryl Sulphate) / %w/w ***	Not Detected	Absent	-	0.00002	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "389580RLP36'05M"



ANALYSIS REPORT

Report No / Sample Accept No : 05837-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI SPOT SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using k=2 at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05846-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS ANTI SPOT SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLES (Sodium Lauryl Ethersulphate) / %w/w ***	Not Detected	Absent	-	-	-	IS 11487	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:570RLP36'05M"

ANALYSIS REPORT

Report No / Sample Accept No : 05846-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS ANTI SPOT SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05822-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS EYE CONTOUR SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Methyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Ethyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Propyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isopropyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Butyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isobutyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Benzyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Paraben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Diparaben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/Onlinesislemeler>" with the code "38aa3762Caa530RLP36'05G"



ANALYSIS REPORT

Report No / Sample Accept No : 05822-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS EYE CONTOUR SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05831-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS EYE CONTOUR SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Alcohol/ %v/v ***	Not Detected	Absent	-	0.25	-	In House Method	C

(**) E : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "389520RLP36'05G"



ANALYSIS REPORT

Report No / Sample Accept No : 05831-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS EYE CONTOUR SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05840-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS EYE CONTOUR SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLS (Sodium Lauryl Sulphate) / %w/w ***	Not Detected	Absent	-	0.00002	-	In House Method	C

(**) E : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:510RLP36'05G"



ANALYSIS REPORT

Report No / Sample Accept No : 05840-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS EYE CONTOUR SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05849-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS EYE CONTOUR SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLES (Sodium Lauryl Ethersulphate) / %w/w ***	Not Detected	Absent	-	-	-	IS 11487	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:5:0RLP36'05P"



ANALYSIS REPORT

Report No / Sample Accept No : 05849-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS EYE CONTOUR SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using k=2 at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05821-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS HYALURONIC ACID SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Methyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Ethyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Propyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isopropyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Butyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isobutyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Benzyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Paraben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Diparaben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38aa3762Caa420RLP36'04F"



ANALYSIS REPORT

Report No / Sample Accept No : 05821-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS HYALURONIC ACID SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05830-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS HYALURONIC ACID SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Alcohol/ %v/v***	Not Detected	Absent	-	0.25	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "389410RLP36'04F"

ANALYSIS REPORT

Report No / Sample Accept No : 05830-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS HYALURONIC ACID SERUM
Name
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05839-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS HYALURONIC ACID SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLS (Sodium Lauryl Sulphate) / %w/w ***	Not Detected	Absent	-	0.00002	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "3894:0RLP36'040"



ANALYSIS REPORT

Report No / Sample Accept No : 05839-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS HYALURONIC ACID SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05848-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS HYALURONIC ACID SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLES (Sodium Lauryl Ethersulphate) / %w/w ***	Not Detected	Absent	-	-	-	IS 11487	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:790RLP36'040"



ANALYSIS REPORT

Report No / Sample Accept No : 05848-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS HYALURONIC ACID SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using k=2 at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05820-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS C VIT SERUM
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Methyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Ethyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Propyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isopropyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Butyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isobutyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Benzyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Paraben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Diparaben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38aa3762Caa310RLP36'03E"



ANALYSIS REPORT

Report No / Sample Accept No : 05820-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS C VIT SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using k=2 at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05829-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS C VIT SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Alcohol/ %v/v ***	Not Detected	Absent	-	0.25	-	In House Method	C

(**) E : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38aa3762Caa3:0RLP36'03N"



ANALYSIS REPORT

Report No / Sample Accept No : 05829-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS C VIT SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05838-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS C VIT SERUM
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLS (Sodium Lauryl Sulphate) / %w/w ***	Not Detected	Absent	-	0.00002	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "389690RLP36'03N"



ANALYSIS REPORT

Report No / Sample Accept No : 05838-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS C VIT SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05847-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS C VIT SERUM
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLES (Sodium Lauryl Ethersulphate) / %w/w ***	Not Detected	Absent	-	-	-	IS 11487	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:680RLP36'03N"



ANALYSIS REPORT

Report No / Sample Accept No : 05847-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS C VIT SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05818-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS KOLAJEN SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Methyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Ethyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Propyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isopropyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Butyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isobutyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Benzyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Paraben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Diparaben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:490RLP36'04L"



ANALYSIS REPORT

Report No / Sample Accept No : 05818-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS KOLAJEN SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05827-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS KOLAJEN SERUM

Serial / Batch No

: -

Date of Manufacture

: -

Packing Type

: Glass Bottle

Expiration Date

: -

Sample Quantity

: 250 ML

Sample Acceptance Date

: 29/05/2023

Temperature of Sample

: 21.4°C

Analysis Start Date

: 02/06/2023

Ambient/Delivery Temperature

: 23.2°C

Analysis End Date

: 07/06/2023

Sample Image

:

Report Release Date

: 09/06/2023

Report Approval Date

: 09/06/2023



Product Composition

: -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Alcohol/ %v/v ***	Not Detected	Absent	-	0.25	-	In House Method	C

(**) E : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38aa3762Caa480RLP36'04L"



ANALYSIS REPORT

Report No / Sample Accept No : 05827-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS KOLAJEN SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05836-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS KOLAJEN SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLS (Sodium Lauryl Sulphate) / %w/w ***	Not Detected	Absent	-	0.00002	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "389470RLP36'04L"



ANALYSIS REPORT

Report No / Sample Accept No : 05836-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS KOLAJEN SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05845-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS KOLAJEN SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLES (Sodium Lauryl Ethersulphate) / %w/w ***	Not Detected	Absent	-	-	-	IS 11487	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:760RLP36'04L"



ANALYSIS REPORT

Report No / Sample Accept No : 05845-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS KOLAJEN SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05824-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name :
Address :
Sample's ; :
Name : CALLIDUS RETINOL SERUM
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Methyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Ethyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Propyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isopropyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Butyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Isobutyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Benzyl Paraben / %w/w ***	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Paraben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C
Determination of Hexamidine Diparaben / %w/w #	Not Detected	Absent	-	0.00005	-	In House Method	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38aa3762Caa450RLP36'04!"



ANALYSIS REPORT

Report No / Sample Accept No : 05824-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS RETINOL SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05833-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS RETINOL SERUM

Serial / Batch No

: -

Date of Manufacture

: -

Packing Type

: Glass Bottle

Expiration Date

: -

Sample Quantity

: 250 ML

Sample Acceptance Date

: 29/05/2023

Temperature of Sample

: 21.4°C

Analysis Start Date

: 02/06/2023

Ambient/Delivery Temperature

: 23.2°C

Analysis End Date

: 07/06/2023

Sample Image

:

Report Release Date

: 09/06/2023

Report Approval Date

: 09/06/2023



Product Composition

: -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of Alcohol/ %v/v***	Not Detected	Absent	-	0.25	-	In House Method	C

(**) E : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "389440RLP36'04I"



ANALYSIS REPORT

Report No / Sample Accept No : 05833-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS RETINOL SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05842-PIM23-EN

Contract / Offer No : PIM23/1023

The Purpose of The Analysis : Special Request

Customer Name

Address

Sample's ;

Name : CALLIDUS RETINOL SERUM

Serial / Batch No : -

Packing Type : Glass Bottle

Sample Quantity : 250 ML

Temperature of Sample : 21.4°C

Ambient/Delivery Temperature : 23.2°C

Sample Image :



Date of Manufacture : -

Expiration Date : -

Sample Acceptance Date : 29/05/2023

Analysis Start Date : 02/06/2023

Analysis End Date : 07/06/2023

Report Release Date : 09/06/2023

Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLS (Sodium Lauryl Sulphate) / %w/w ***	Not Detected	Absent	-	0.00002	-	In House Method	C

(**) E : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38:73ORLP36'04I"



ANALYSIS REPORT

Report No / Sample Accept No : 05842-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS RETINOL SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager



ANALYSIS REPORT

Report No / Sample Accept No : 05851-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ;
Name : CALLIDUS RETINOL SERUM
Serial / Batch No : -
Packing Type : Glass Bottle
Sample Quantity : 250 ML
Temperature of Sample : 21.4°C
Ambient/Delivery Temperature : 23.2°C
Sample Image :



Date of Manufacture : -
Expiration Date : -
Sample Acceptance Date : 29/05/2023
Analysis Start Date : 02/06/2023
Analysis End Date : 07/06/2023
Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023

Product Composition : -

Analyzes / Units	Results	Limits	Compl. Legislation	M.L.	M.U.	Analysis Method	E.**
Determination of SLES (Sodium Lauryl Ethersulphate) / %w/w ***	Not Detected	Absent	-	-	-	IS 11487	C

(**) E. : Evaluation ; C: Conformed, NC: Non Conformed, NE: No Evaluation For Not Having Limit Value. M.L.: Measurement Limit M.U.: Measurement Uncertainty.

This document has been signed with a secure electronic signature in accordance with the electronic signature law no 5070. To verify the document, you can access it from the address "<http://pimlab.gislab.com.tr/OnlineIslemler>" with the code "38aa3762Caa720RLP36'04I"



ANALYSIS REPORT

Report No / Sample Accept No : 05851-PIM23-EN
Contract / Offer No : PIM23/1023
The Purpose of The Analysis : Special Request
Customer Name
Address
Sample's ; : CALLIDUS RETINOL SERUM
Name
Serial / Batch No : - Date of Manufacture : -
Packing Type : Glass Bottle Expiration Date : -
Sample Quantity : 250 ML Sample Acceptance Date : 29/05/2023
Temperature of Sample : 21.4°C Analysis Start Date : 02/06/2023
Ambient/Delivery Temperature : 23.2°C Analysis End Date : 07/06/2023
Sample Image : Report Release Date : 09/06/2023
Report Approval Date : 09/06/2023



Results:

Instructions:

- 1- No part of this analysis report may be used alone or separately.
- 2- Analysis results relate to the sample(s) described above.
- 3- Measurement Uncertainty (M.U.) is given with the Analysis result when necessary. Measurement Uncertainty (M.U.) is not taken into account in microbiological analysis. Measurement Uncertainty (M.U.) is not taken into account in chemical and physical analysis. If the Measurement Uncertainty (M.U.) is used in the calculations, it is stated in the "Instructions".
- 4- This report may not be copied or reproduced in whole or in part without the written permission of the laboratory.
- 5- Measurement Uncertainty was calculated using $k=2$ at the 95% confidence interval.
- 6- Unsigned custom request reports are invalid.
- 7- Additional information given by the customer is indicated in the "Instructions".
- 8- **Decision Rule:** When a declaration of conformity (suitable or unsuitable) is given regarding the test results, if there is a valid decision rule in the legislation, this decision rule is applied. If there is no valid decision rule in the legislation, the measurement uncertainty value is evaluated according to the 'Simple Decision Rule' and the results are reliable. It is reported as is, without adding or subtracting the level and uncertainty of measurement.
- 9- Analyzes marked with (*) are within the scope of TÜRKAK accreditation.
- 10- (***) signed analysis were performed in the accredited supplier laboratory.
- 11- (#) signed analysis were performed in an supplier laboratory.
- 12- **Statement of Renounce:** "Our laboratory is not responsible for the deviations in the sample results accepted under the conditions of, in agreement with the customer." statement is added.
- 13- **Judgment and comment:** When applicable/necessary
- 14- **Additions, deletions, and deviations to the test method:** When applicable/necessary

END OF REPORT

E-signed

Buse SÜLEYMANOĞLU
Chemistry Laboratory Department Responsible

E-signed

Feyza ÇALGERİŞ
Sample Acceptance and Reporting Department
Responsible

E-signed

Yağmur BULAT
Laboratory Manager